PRINTED: 10/13/2010 FORM APPROVED Bureau of Health Care Quality and Compliance STATEMENT OF DEFICIENCIES (X1) PROVIDER/SUPPLIER/CLIA (X3) DATE SURVEY (X2) MULTIPLE CONSTRUCTION AND PLAN OF CORRECTION COMPLETED IDENTIFICATION NUMBER: A. BUILDING B. WING NVN3873AGC 08/10/2010 STREET ADDRESS, CITY, STATE, ZIP CODE NAME OF PROVIDER OR SUPPLIER 1453 PASS DRIVE **CENTER FOR HOPE OF THE SIERRAS RENO. NV 89509** SUMMARY STATEMENT OF DEFICIENCIES PROVIDER'S PLAN OF CORRECTION (X4) ID ID (X5) COMPLETE (EACH DEFICIENCY MUST BE PRECEDED BY FULL (EACH CORRECTIVE ACTION SHOULD BE **PREFIX PREFIX** DATE REGULATORY OR LSC IDENTIFYING INFORMATION) CROSS-REFERENCED TO THE APPROPRIATE TAG TAG DEFICIENCY) Y 000 **Initial Comments** Y 000 The findings and conclusions of any investigation by the Health Division shall not be construed as prohibiting any criminal or civil investigations, actions or other claims for relief that may be available to any party under applicable federal, state, or local laws. This Statement of Deficiencies was generated as a result of a annual State Licensure survey conducted in your facility on 8/10/10. This State Licensure survey was conducted by the authority of NRS 449.150, Powers of the Health Division. The facility received a grade of A. The facility is licensed for six Residential Facility for Group beds for elderly and disabled person and/or persons with mental illness, Category I residents. The census at the time of the survey was four. Four resident files were reviewed and ten employee files were reviewed. One discharged resident file was reviewed. The following deficiencies were identified: Y 920 Y 920 449.2748(1) Medication Storage SS=D NAC 449.2748 1. Medication, including, without limitation, any over-the-counter medication. stored at a residential facility must be stored in a locked

If deficiencies are cited, an approved plan of correction must be returned within 10 days after receipt of this statement of deficiencies.

TITLE

(X6) DATE

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

area that is cool and dry. The caregivers employed by the facility shall ensure that any medication or medical or diagnostic equipment that may be misused or appropriated by a resident or any other unauthorized person is protected. Medication for

PRINTED: 10/13/2010 FORM APPROVED Bureau of Health Care Quality and Compliance STATEMENT OF DEFICIENCIES (X1) PROVIDER/SUPPLIER/CLIA (X3) DATE SURVEY (X2) MULTIPLE CONSTRUCTION AND PLAN OF CORRECTION COMPLETED IDENTIFICATION NUMBER: A. BUILDING B. WING NVN3873AGC 08/10/2010 STREET ADDRESS, CITY, STATE, ZIP CODE NAME OF PROVIDER OR SUPPLIER 1453 PASS DRIVE **CENTER FOR HOPE OF THE SIERRAS RENO. NV 89509** SUMMARY STATEMENT OF DEFICIENCIES PROVIDER'S PLAN OF CORRECTION (X4) ID ID (X5) COMPLETE (EACH DEFICIENCY MUST BE PRECEDED BY FULL (EACH CORRECTIVE ACTION SHOULD BE PREFIX **PREFIX** DATE REGULATORY OR LSC IDENTIFYING INFORMATION) CROSS-REFERENCED TO THE APPROPRIATE TAG TAG DEFICIENCY) Y 920 Continued From page 1 Y 920 external use only must be kept in a locked area separate from other medications. A resident who is capable of administering medication to himself without supervision may keep his medication in his room if the medication is kept in a locked container for which the facility has been provided a key. This Regulation is not met as evidenced by: Based on interview on 8/10/10, the facility failed to ensure self-administered medications belonging to 1 of 4 residents were secured in a locked container in the resident's room (Resident #1). Severity: 2 Scope 1 Y1010 Y1010 449.2764(1) Mental Illness Training SS=F NAC 449.2764 1. A person who provides care for a resident of a residential facility for persons with mental illnesses shall, within 60 days after he becomes employed at the facility, attend not less than 8 hours of training concerning care for residents who are suffering from mental illnesses.

If deficiencies are cited, an approved plan of correction must be returned within 10 days after receipt of this statement of deficiencies.

This Regulation is not met as evidenced by: Based on record review on 8/10/10, the facility

PRINTED: 10/13/2010 FORM APPROVED

Bureau of Health Care Quality and Compliance STATEMENT OF DEFICIENCIES (X1) PROVIDER/SUPPLIER/CLIA (X3) DATE SURVEY (X2) MULTIPLE CONSTRUCTION AND PLAN OF CORRECTION COMPLETED IDENTIFICATION NUMBER: A. BUILDING B. WING NVN3873AGC 08/10/2010 STREET ADDRESS, CITY, STATE, ZIP CODE NAME OF PROVIDER OR SUPPLIER 1453 PASS DRIVE **CENTER FOR HOPE OF THE SIERRAS RENO, NV 89509** SUMMARY STATEMENT OF DEFICIENCIES PROVIDER'S PLAN OF CORRECTION (X5) (X4) ID ID (EACH DEFICIENCY MUST BE PRECEDED BY FULL (EACH CORRECTIVE ACTION SHOULD BE COMPLETE PREFIX **PREFIX** REGULATORY OR LSC IDENTIFYING INFORMATION) CROSS-REFERENCED TO THE APPROPRIATE DATE TAG TAG DEFICIENCY) Y1010 Continued From page 2 Y1010 failed to ensure that a minimum of 8 hours of training related to the care of mentally ill residents was received within 60 days of hire by 3 of 10 employees (Employee #5, #9 and #10). Severity: 2 Scope: 2